



Product Submittal

Flexo-Flash self-Adhering Through-Wall Flashing

Description


Flexo-Flash is a 40 mil thick self-adhering through-wall flashing with a white cross-woven polyethylene facer that provides 120 days of UV protection. Flexo-Flash has a clear adhesive that will not drool like rubberized asphalt flashings, and does not require a primer. Flexo-Flash offers better puncture, tear, and resistance to slicing than rubberized peel-and-stick membranes.

Key Properties & Benefits:

- Proprietary pressure sensitive adhesive
- 120 day UV resistance
- Non-staining, contains no asphalt, will not drool like rubberized asphalt when exposed to heat
- No primer required
- Rugged polyethylene facer for puncture and tear Resistance
- No VOC's, HFCC's, and CFC's
- Application temperature: 20°-120°F
- High temperature resistant up to 250°F

Uses:

- Through-Wall Flashing
- Roof-to-wall
- Roof Parapet Flashing
- Temporary dry in material
- Insulated Concrete Forms (ICF)



Accessories:

- | | | |
|--|---|---|
| <input type="checkbox"/> UniverSeal US-100 Sealant | <input type="checkbox"/> 304 SS Drip Edge | <input type="checkbox"/> Drip Edge 304 SS Outside Corners |
| <input type="checkbox"/> T-96 Termination Bar | <input type="checkbox"/> 316 SS Drip Edge | <input type="checkbox"/> Drip Edge 316 SS Outside Corners |
| <input type="checkbox"/> 304 SS Termination Bar | <input type="checkbox"/> 316 SS Termination Bar | <input type="checkbox"/> Drip Edge 304 SS Inside Corners |
| <input type="checkbox"/> 304 SS Outside Corners | <input type="checkbox"/> 316 SS Outside Corners | <input type="checkbox"/> Drip Edge 316 SS Inside Corners |
| <input type="checkbox"/> 304 SS Inside Corners | <input type="checkbox"/> 316 SS Inside Corners | <input type="checkbox"/> Weep-Net™ |
| <input type="checkbox"/> 304 SS End Dams | <input type="checkbox"/> 316 SS End Dams | <input type="checkbox"/> Weep Armor™ |
| <input type="checkbox"/> Termination Bar Extender | <input type="checkbox"/> No-Bow Termination Strip | <input type="checkbox"/> SS Weep Vents |

Submittal Date: _____ Bid Date: _____

Project: _____

Project Address: _____

Contractor: _____ Phone: _____ E-mail: _____

Notes: _____

Architectural Firm: _____ Project Architect: _____

- Approved
- Not Approved

Remarks: _____